http://www.omegaone.gr email: info@omegaone.gr Tel: 0030 2103472 270 Εξοπλισμοί Καταστημάτων Μαζικής Εστίασης Μελέτες - Εισαγωγές - Κατασκευές





CENTRIFUGAL JUICER #50 "Santos Juicer"

To extract the maximum quantity of fruit and vegetable juice



Internationally patented models

NSE



SANTOS

CE








CENTRIFUGAL JUICER #50

FOR A HIGH QUALITY JUICE

You can make any kind of fruit and vegetable juices and keep all the vitamines with the **juice extractor #50.** Easy to use, silent and powerful, it is the ideal appliance for juice bars, hotels, restaurants and health food stores.



SANTOS, WORLDWIDE LEADER IN COMMERCIAL JUICERS

1986



WE HAVE THE JUICE EXTRACTOR YOU NEED...

Santos has a 25 years experience in creating juice extractors and developing exclusive patented systems to provide an incomparable reliability and efficiency.

Rigour and quality All Santos juice extractors are in accordance with the most stringent international regulations: GS, UL, NSF.



2006

2013 ----->

The professional art of juicing since 1954



QUALITY, EXPERTISE, COMFORT

High quality juice

- **Perfect filtration:** very fine sieve offering a high quality juice.
- Maximum juice extraction: excellent yield, dry pulp in the container.
- Preservation of vitamines: it extracts juice from fruits and vegetables without crushing or heating them.
- **Creativity:** possibility to make any kind of juice, ex: ginger, beetroot, cucumber, pineapple, melon, grapes...

Expertise

- Exclusive patents: exclusive extra wide feeding chute, Ezy-clean[™] system, instant friction braking system.
- Professional motor, powerful and extremely silent (Santos know-how).
- High output juice extractor, adapted to intensive use (ex: juice bars).
- Sturdy appliance mostly made of aluminium and stainless steel.

Simplicity and comfort

- Silence: you can serenely make juice in front of your customers.
- **Space-saving product:** it fits everywhere thanks to its low overall dimensions.
- Extra wide feeding chute: you can put entire fruits and vegetables (time-saving).
- **Continuous juice production:** automatic pulp ejection.
- **Ezy-clean™ sytem:** removable bowl, basket and cover (no tool needed). Easy cleaning.
- Large basket: more juice, less cleaning.





TECHNICAL SPECIFICATIONS



Motor

Single phase: 100-120V - 50/60 Hz - 800 W CE - UL - NSF 220-240V - 50/60 Hz - 800 W CE - KC

Speed: 3000 rpm (50 Hz) 3600 rpm (60 Hz)



Weight

Net: |4kg (3| lbs) Shipping: 16 kg (35 lbs)



APPLIANCE W. 260 mm / 10" D: 470 mm / 19" H: 450 mm / 18"



SHIPPING BOX W-315mm / 12" D: 500 mm / 20" H: 570 mm / 22"

SAFETY, STANDARDS, HYGIENE

In accordance with the following regulations

- Machinery directive 2006/42/EC
- Electromagnetic compatibility 2004/108/EC
- Electrical equipment designed for use within certain voltage limits "low voltage" 2006/95/EC
- RoHS directive 2002/95/EC
- Regulation 1935/2004/EC (contact with food)

Harmonized European standards

- EN ISO 12100 1 and 2:2004 EN 60204-1:2006
- EN 12547+A1: 2009 Juice extractors • EN 60335-2-64: 2004 Commercial electric kitchen machines
- CE (Europe), UL (USA) and cUL (Canada), NSF (USA), KC (Korea)

Thermal safety

Motor protected by internal thermal detector and overload protector.

Electrical safety

- On/off switch detects overloading and no voltage.
- All mechanical parts are ground connected.
- · Appliances are 100% tested after assembly.

Acoustic safety

Silent asynchronous motor.

Mechanical safety

A friction brake immediately stops the basket when opening the handle.

Hygiene


All removable parts can be put in a dishwasher or easily cleaned with hot soapy water.

CENTRIFUGAL JUICER #50



"Santos Juicer"

www.santos.fr



SANTOS

140-150 Avenue Roger Salengro BP 80 067 – 69511 Vaulx-en-velin Cedex (Lyon) – FRANCE Tel. +33 4 72 37 35 29 – Fax. +33 4 78 26 58 21 – **Website:** www.santos.fr – **Email:** santos@santos.fr Follow us on #SantosAddict social networks