



DYNAMIC PREPARATION

MEAT MINCERS

professional equipment

http://www.omegaone.gr email: info@omegaone.gr Tel: 0030 2103472270 Fax: 0030 2103476037



PS-32R Refrigerated Meat Mincer

HOURLY OUTPUT: UP TO 450 KG.

Refrigerated stainless steel countertop meat mincer for medium production levels.

Complete with stainless steel cutting unit, knife and Ø 4.5 mesh plate.

The highest hygiene in processing in respect of the HACCP methodology in order to improve the service to the customer. A sturdy, reliable machine, ideal for food stores and catering.

- · Casing and feed pan in AISI 304 stainless steel.
- · AISI 304 stainless steel external head, easy to clean.
- · Ventilated motor, forward running and stop with low-voltage (24 V) N.V.R.
- · Machine in conformity with " hygiene and safety regulations and specific product standards.

Refrigeration

- · Low-noise sealed compressor.
- · Electronic thermostat for precision temperature control.
- Ecological refrigerating gas.

TECHNICAL SPECIFICATIONS

Production /hour (max): 450 Kg

Plate diameter: Ø 98 mm

Refrigerated mincer: y

Electrical supply: -- V - -- V / -- ~

Total loading: 2200 W

External dimensions (WxDxH)

·Width: 325 mm ·Depth: 544 mm ·Height: 553 mm

Net weight: 74 Kg

DEFAULT EQUIPMENT

- Enterprise cutting unit in stainless steel. Mesh plate of 4.5mm.

OPTIONAL EQUIPMENT

- · Unger cutting unit (double cut): Ø 98 mm, 3 items made of stainless steel.
 · Mesh plates of various sizes: 3 / 4.5 / 6 / 8



www.sammic.com



98/37 CEE, 2004/108/EC, 2006/95/EC, 89/109 CEE