

Εξοπλισμοί Καταστημάτων Μαζικής Εστίασης
Μελέτες - Εισαγωγές - Κατασκευές

<http://www.omegaone.gr> email: info@omegaone.gr

Tel: 0030 2103472 270 Fax: 0030 2103476037

Iera Odos 4 Athens Greece - Ιερά Οδό 4 Αθήνα

Real American Coolers

ONE


OMEGA

professional equipment







GDM-19T



PLAN VIEW



ROUGH-IN DATA

Specifications subject to change without notice.
 Chart dimensions rounded up to the nearest $\frac{1}{8}"$ (millimeters rounded up to next whole number).

Model	Doors	Shelves	Cabinet Dimensions (inches) (mm)			HP	Voltage	Amps	NEMA Config.	Cord Length (total ft.) (total m)	Crated Weight (lbs.) (kg)
			L	D†	H						
GDM-19T	1	5	27 686	$24\frac{7}{8}$ 632	$78\frac{5}{8}$ 1998	$\frac{1}{3}$ $\frac{1}{3}$	115/60/1 230-240/50/1	5.4 2.4	5-15P ▲	9 2.74	315 143

▲ Plug type varies by country.

True

True Manufacturing Co., Inc.
True Refrigeration T.M.
O'Fallon, MO 63366
MADE IN THE USA

Numero
de serie
del
gabinete:

CABINET
SERIAL
NUMBER:

7694754



7694754

Modelo: GDM - 19T - EM
(MODEL)

Clase de clima: 5
(CLIMATE CLASS:)

HP	1/3	IP 00 BBD
V	230	
HZ	50	
A	2,8	

Unidad de refrigeracion: (Refrigeration Unit:)	NEK6187Z
Capacidad: (Capacity:)	539 Litros
Presion maxima - limite superior de presion: (Maximum pressure - high pressure side)	MPA
Calentadores auxiliares: (Auxiliary heaters:)	Vatios
Refrigerante: (Refrigerant:)	0,227 KG. R134A
Iluminacion: (Lighting:)	54 Vatios
Calentadores para fundir la escarcha (Defrost heaters:)	Vatios

No limpie el rotulo con solventes.
(DO NOT CLEAN LABEL WITH SOLVENT)

CE





